

CITY OF NORTH ADAMS  
City Clerk's Office  
July 22, 2015

I hereby notify that at twelve noon today the following items of business have been filed with this office and will be acted upon at the meeting in the City Council Chambers at City Hall, Tuesday evening July 28, 2015 at seven-thirty o'clock according to Section 8, Rules and Orders of the City Council.

Marilyn Gomeau  
City Clerk

REGULAR MEETING OF THE CITY COUNCIL  
July 28, 2015

Roll Call

Moment of silent prayer

The Pledge

Approval of the minutes of *July 14, 2015*

- 11,453-1** *An Ordinance amending Chapter 13 entitled Motor Vehicles and Traffic, Article IV, entitled Operation of Vehicles, Section 13-41, entitled obedience to traffic-control signals, which was postponed at the meeting of July 14<sup>th</sup>.*
- 11,463-1** *An Ordinance amending Chapter 13, entitled Motor Vehicles and Traffic, Section 13-26.1 entitled School Zones, which was referred to the Public Safety Committee at the meeting of July 14<sup>th</sup>.*
- 11,464** *Mayor's communication #26 recommending a sewer connection.*
- 11,464** *An Order granting permission to Raymond and Jeanne Moulthrop, Map20, Lot 29 (164 Cross Road) to hook into the North Adams Sewer System.*
- 11,465** *Mayor's communication #27 regarding the North Adams Redevelopment Authority.*


**CORRESPONDENCE**

**LICENSE**

An Application from O'Connell Oil Associates requesting a Public Hearing regarding the installation of a new diesel tank.

An application submitted by Richard Cook, 427 Cross Road, Clarksburg to drive taxi for City Cab.

**OPEN FORUM  
COUNCILOR & MAYOR'S CONCERNS**



CITY OF NORTH ADAMS, MASSACHUSETTS

Office of the Mayor  
Richard J. Alcombright

July 28, 2015

#26

The Honorable City Council  
North Adams, Massachusetts

Re: Sewer Connections - Clarksburg

Honorable Members:

A request has been made by the Town of Clarksburg on behalf of Raymond and Jeanne Moulthrop of Map 207, Lot 29 (164 Cross Road), Clarksburg, seeking permission to hook into the North Adams sewer system.

All the appropriate safeguards and prerequisites are encompassed in the accompanying orders including language that absolves the City from any ongoing maintenance responsibilities. It should be noted that the Hoosac Water Quality District must give final approval.

I would respectfully recommend adoption of the accompanying order.

Respectfully submitted,

  
Richard J. Alcombright  
Mayor



# City of North Adams

In City Council

..... July 28<sup>th</sup> 2015 .....

Ordered:

That permission is hereby granted to Raymond and Jeanne Moulthrop of Map 207, Lot 29 (164 Cross Road) Clarksburg, Massachusetts, to make connection to the North Adams sewer system.

AND IT IS FURTHER ORDERED: That the installation is subject to approval by the City of North Adams and that the installation shall not be completed until approval is given by the Superintendent of Public Services.

AND IT IS FURTHER ORDERED: That this permission is granted with the express understanding that the City of North Adams will not be responsible for any inconvenience caused by low water pressure, stoppage of water supply or any other blockage or any other reason and that the service shall be in conformity with the amended agreement for sewer and water installations on file in the Office of the City Clerk of the City of North Adams.

AND IT IS FURTHER ORDERED: That the said Raymond and Jeanne Moulthrop shall assume the expense of this installation and shall be responsible for all maintenance thereon and damage therefrom.



CITY OF NORTH ADAMS, MASSACHUSETTS

Office of the Mayor  
Richard J. Alcombright

July 28, 2015

#27

To: North Adams City Council

Re: North Adams Redevelopment Authority/Freight Yard Pub

Dear Fellow Councilors:

As you are all aware, I was preparing to bring in a communication requesting the City borrow for the settlement of the judgment against the Redevelopment Authority.

This has been a very long and complicated process and I have not been able to fully complete with necessary clarity, the information you will need to make a well informed decision on this important matter.

Needing a bit more time, please know that I will bring forward another communication with recommendations regarding this at a special meeting or the next regularly scheduled meeting. I am very sorry for any confusion.

Sincerely,

Richard J. Alcombright  
Mayor